







6401




6402



6403



6404



6405




6410





















6411



6310




- | | | | | | |
|---|--|--|--|---|---|
| 
6410 | 
S01-R7016 | 
S02-R7016 | 
S11-R7016 | 
S21-R7016, S22-R7016 | 
S23-R7016, S24-R7016 |
| 
S31-R7016, S32-R7016 | 
S33-R7016 | 
S61-R7016 | 
S62-R7016 | 
S51-R7016 | 
S41-R7016 |
| 
S42-R7016 | 
S43-R7016 | 
6031 | 
6054 | 
6061 | 
6310 |




ARENAS

MODULES



SPANS




• filled in with 15 mm thick HDPE panels



• filled in with steel profiles

EXTRA ELEMENTS



COLOURS OF HDPE PLATES



6410

Dimensions: 308 x 325 x 385 cm
Diameter of the basket hoop: 47,1 cm

- Dimensions of pipes and profiles used:
- » rectangular profile: 90x90x3; 40x40x2; 20x20x2 mm
 - » flat bar: 60x6, 100 x 6 mm
 - » pipe: Ø 33,7 x 2,9; 33,7 x 2; 20 x 2; 21,3 x 2; 17,2 x 2 mm
 - » supporting column: Ø 76,1 x 2,6 mm
 - » stainless steel chain: f15 mm

• Colour options of HDPE plates:



• Colour options of RAL:




MATERIALS

- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.
- System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.
- Colourful plates made of triple layered 15 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.


• Colour options of HDPE plates:



• Colour options of RAL:



ARENA MODULEY



MODULE S11-R7016

Dimensions: 250 x 65 x 112 cm

Dimensions of pipes and profiles used:

- » rectangular profile: 20x20x2 mm
- » pipe: Ø 33,7 x 2,9 mm
- » supporting column: Ø 76,1 x 2,6 mm

MATERIALS

- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.
- System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.
- Colourful plates made of triple layered 15 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.

• Colour options of HDPE plates:



• Colour options of RAL:




MODULE S21-R7016

Dimensions: 250 x 8,3 x 112 cm

Dimensions of pipes and profiles used:

- » rectangular profile: 20x20x2 mm
- » supporting column: Ø 76,1 x 2,6 mm
- » pipe: Ø 33,7 x 2,9 mm




MODULE S23-R7016

Dimensions: 125 x 8,3 x 112 cm

Dimensions of pipes and profiles used:

- » rectangular profile: 20x20x2 mm
- » supporting column: Ø 76,1 x 2,6 mm
- » pipe: Ø 33,7 x 2,9 mm



MODULE S01-R7016

Dimensions: 308 x 167 x 304 cm

Dimensions of pipes and profiles used:

- » rectangular profile: 20x20x2, 40x40x2 mm
- » pipe: Ø 33,7 x 2,9; 33,7 x 2 mm
- » supporting column: Ø 76,1 x 2,6 mm



MODULE S02-R7016

Dimensions: 308 x 498 x 385 cm
Diameter of the basket hoop: 47,1 cm

Dimensions of pipes and profiles used:

- » rectangular profile: 90x90x3; 40x40x2; 20x20x2 mm
- » flat bar: 60x6 mm
- » pipe: Ø 33,7 x 2,9 mm; 33,7 x 2; 20 x 2; 21,3 x 2; 17,2 x 2 mm
- » supporting column: Ø 76,1 x 2,6 mm
- » stainless steel chain: f15 mm




MODULE S22-R7016

Dimensions: 250 x 8,3 x 112 cm

Dimensions of pipes and profiles used:

- » rectangular profile: 20x20x2 mm
- » supporting column: Ø 76,1 x 2,6 mm
- » pipe: Ø 33,7 x 2,9 mm




MODULE S24-R7016

Dimensions: 125 x 8,3 x 112 cm

Dimensions of pipes and profiles used:

- » rectangular profile: 20x20x2 mm
- » supporting column: Ø 76,1 x 2,6 mm
- » pipe: Ø 33,7 x 2,9 mm



MATERIALS

- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.
- System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.


• Colour options of RAL:



MODULE
S31-R7016

Dimensions: 250 x 8,3 x 112 cm

Dimensions of pipes and profiles used:
 » rectangular profile 60x60x2; 40x40x2; 20x20x2 mm
 » supporting column: Ø 76,1 x 2,6 mm
 » pipe: Ø 33,7 x 2,9; 21,3 x 2; 17,2 x 2 mm



MATERIALS

• Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.

• System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.

• Bolt available to lock it with a padlock

• Colourful plates made of triple layered 15 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.

• Colour options of HDPE plates:



• Colour options of RAL:



MODULE
S61-R7016

High-quality polypropylene PP net, with 4,5 x 4,5 cm loops and thickness 3 mm. Manufactured using a non-knot technique for optimal durability and stability. Strain of the net can be adjusted accordingly. Colour: black.



MATERIALS

• Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.

• System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.

• Bolt available to lock it with a padlock


• Colour options of RAL:



MODULE
S33-R7016

Dimensions: 250 x 8,3 x 208 cm


Dimensions of pipes and profiles used:
 » rectangular profile 60x60x2; 40x40x2; 20x20x2 mm
 » supporting column: Ø 76,1 x 2,6 mm
 » pipe: Ø 33,7 x 2,9; 21,3 x 2; 17,2 x 2 mm



MODULE
S32-R7016

Dimensions: 250 x 8,3 x 112 cm

Dimensions of pipes and profiles used:
 » rectangular profile 60x60x2; 40x40x2; 20x20x2 mm
 » supporting column: Ø 76,1 x 2,6 mm
 » pipe: Ø 33,7 x 2,9; 21,3 x 2; 17,2 x 2 mm






MODULE S62-R7016

High-quality polypropylene net used for playing volleyball. The net conforms to the norms of FIVB (International Volleyball Federation).


Dimensions of the net: 850 x 100 cm



MODULE S41-R7016

Dimensions: 160 x 6 x 225 cm


Dimensions of pipes and profiles used:
» rectangular profile: 20x20x2 mm
» pipe: Ø 33,7 x 2,9 mm



MODULE S42-R7016

Dimensions: 160 x 6 x 225 cm



Dimensions of pipes and profiles used:
» rectangular profile: 20x20x2 mm
» pipe: Ø 33,7 x 2,9 mm



MODULE S43-R7016

Dimensions: 160 x 6 x 225 cm

Dimensions of pipes and profiles used:
» rectangular profile: 20x20x2 mm
» pipe: Ø 33,7 x 2 mm



MODULE S51-R7016

Dimensions: 305 x 96 x 6 cm

Dimensions of pipes and profiles used:
» pipe: Ø 33,7 x 2,9 mm

MATERIALS

- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.
- System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.
- Colourful plates made of triple layered 15 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.

MATERIALS

- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.
- System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.
- Colourful plates made of triple layered 15 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.

- Colour options of HDPE plates:



- Colour options of RAL:



6031

Dimensions: 97 x 57 x 90 cm

Dimensions of pipes and profiles used:
» profile: 40x20x2 mm
» pipe: Ø60,3 x 2,9, Ø42,4 x 2,9 mm



MATERIALS

- Colourful plates made of 13 mm thick HPL, in the highest quality, totally damp-proof and resistant to UV.
- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.

6054

Dimensions: 50 x 43 x 90 cm
Pojemność: 45 L



MATERIALS

- Colourful plates made of 13 mm thick HPL, in the highest quality, totally damp-proof and resistant to UV.
- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.

6061

Dimensions: 210 x 58 x 61 cm

Dimensions of pipes and rods used:
» rod: 40x20x2 mm
» pipe: Ø 14 mm



MATERIALS

- Construction made of hot-dip galvanised steel.


6310

Dimensions: 150 x 230 x 385 cm
Diameter of the basket hoop: 47,1 cm

Dimensions of pipes and profiles used:
» rectangular profile: 40x40x2 mm
» flat bar: 60x6 mm
» pipe: 20 x 2,5; 21,3 x 2; 17,2 x 2 mm
» supporting column: Ø 133x3,6 mm
» stainless steel chain: fi 5

MATERIALS

- Colourful plates made of triple layered 15 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.
- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.
- Basket hoop made of stainless steel.



SPORT ARENAS
CHARACTERISTICS OF THE LINE

