

INFORMATION ABOUT THE PRODUCT

Dimensions	470 x 366 cm			
Safety zone	771 x 717 cm			
Safety zone area	38 m²			
Overall height	321 cm			
Free fall height	152 cm			
Amount of users	13			
Product complies with EN 1176-1:2017	YES			
Availability of spare parts	YES			
Age range	3-12			
According to EN 1176-1:2017 norm, the product requires applying a safety surface according to the product's free fail height.				




ECO











MATERIALS:

WOODEN POSTS ANCHORED TO THE GROUND WITH POWDER GALVANIZED AND POWDER COATED STEEL ANCHORS.	CONNECTING ELEMENTS LIKE SCREWS, NUTS, WASHERS MADE OF STAINLESS STEEL.	SLIDES MADE OF STAINLESS STEEL AISI 304. METAL SHEET WITH A THICKNESS OF 2 MM FORMED IN A CNC TECHNIQUE.	HEMISPHERIC WINDOW WITH A DIAMETER OF 400 MM.	PATENTED SYSTEM OF CONNECTORS AND CLAMPS MADE OF STRONG ALUMINIUM ALLOY.
	***			C C C C C C C C C C C C C C C C C C C
CLIMBING ROCKS MADE OF CHIPPINGS AND COLOURFUL POLYESTER RESIN.	POLYPROPYLENE ROPES PP-MULTISPLIT TYPE WITH A STEEL CORE AND A DIAMETER OF 16 MM.	PLATES OF THE WALLS MADE OF COLOURFUL TRIPLE LAYERED 15 MM HDPE POLYETHYLENE, IN THE HIGHEST QUALITY, TOTALLY DAMP-PROOF.	SYSTEM OF CONNECTORS AND CLAMPS MADE OF STRONG ALUMINIUM ALLOY.	
	AL			
	ANCHORED TO THE GROUND WITH POWDER GALVANIZED AND POWDER COATED STEEL ANCHORS.	ANCHORED TO THE GROUND WITH POWDER GALVANIZED AND POWDER COATED STEEL ANCHORS. CLIMBING ROCKS MADE OF CHIPPINGS AND COLOURFUL POLYESTER	ANCHORED TO THE GROUND WITH POWDER GALVANIZED AND POWDER COATED STEEL ANCHORS. LIKE SCREWS, NUTS, WASHERS MADE OF STAINLESS STEEL. STEEL ASI 304. METAL SHEET WITH A THICKNESS OF 2 MM FORMED IN A CNC TECHNIQUE. Image: Construction of the state of th	ANCHORED TO THE GROUND WITH POWDER GALVANIZED AND POWDER COATED STEEL ANCHORS. UKE SCREWS, NUTS, WASHERS MADE OF STAINLESS STEEL. STEEL ASI 304. METAL SHEET WITH A THCKNESS OF 2 MM FOR MILLINGUE. WITH A DIAMETER OF 400 MM. Image: Control of the state of the s

K