






**Buglo**



# Flora Play

MATERIAL SPECIFICATION






## COLOUR WAVE MASTER


A painting technique that allows combining two colors, which smoothly blend into each other. It enables achieving a natural colour fusion effect.



**Colour Wave Master**  
enables combining any two  
colours from our palette.  
Smooth tonal gradation  
guarantees unique visual effect.



Solid construction made of black steel S235JR ( Ø 88,9 - 133 mm), cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUAICOAT attested.



Solid and esthetic rope connectors made of injection molded polyamide.



Anti-slip 15 mm Hex platform.



Handle made of rotomoulded LDPE type material



The passage module is made of a 6mm stainless steel chain, 15 mm thick HDPE boards and an 18 mm thick HDPE non-slip HDPE board.



Solid construction made of stainless steel AISI 304 totally resistant to weather conditions. Solid construction made of stainless steel AISI 304 totally resistant to weather conditions.



Rope endings pressed in a sleeve made of durable aluminum alloy.



Polypropylene ropes ppmultisplit type with a steel core and a diameter of 16 mm.



Natural Robinia logs from European plantations. The wood has a FSC certificate, which ensures that products come from responsibly managed forests.



Slide made of stainless steel AISI 304. The metal sheet is 2 mm thick and the end section is finished with a band made of pipe 33,7 mm.



Rope ladder steps and rope knots made of injection molded polyamide.



Attested 6 mm stainless steel chains.

